

Road Thermoplastic Line Striping Machine Speed 10-20m/Min

Our Product Introduction

for more products please visit us on wagetraffic.com


Basic Information

- Place of Origin: China
- Brand Name: WAGE
- Certification: EMS OHSMS
- Model Number: HG-VM
- Minimum Order Quantity: 1 set
- Price: 6200 to 9250usd
- Packaging Details: box
- Delivery Time: 1 to 3 weeks
- Payment Terms: T/T, Western Union, MoneyGram, L/C
- Supply Ability: 10 set per week



Product Specification

- Dimension: 1.2m*0.8m*1.2m
- Marking Accuracy: ± 1 mm
- Marking Line Type: Straight Line, Curve, Text, Logo
- Marking Thickness: 0.2-2mm
- Marking Width: 50-150mm
- Name: Road Line Marking Machine
- Power: Electric
- Speed: 10-20m/min
- Spray Gun Flow: 0.5-2L/min
- Spray Gun Nozzle Angle: 60°
- Spray Gun Nozzle Diameter: 0.015-0.021mm
- Spray Gun Pressure: 2-3MPa
- Spray Gun Type: Airless
- Type: Automatic



More Images



Product Description

Thermoplastic Vibration Road Line Machine For Vibration Noise Marking

Vibration marking is a kind of marking which is widely used in developed countries. Its shape is concave and convex. When a car passes by, it will have a "boom" sound. It has a good warning and reminding effect on the driver, so it is also called noise markin



WAGE Vibration road line marking machine has the following functional:

1. Adopt automatic oil pressure stepless speed change driving mode, automatic walking, to ensure uniform and efficient construction effect;
2. The scribe adopts stainless steel insulating material coatings barrel and inserting manual mixing device to ensure the best temperature and shape of the melt.
3. Unique marking hopper, which makes the shape, spacing and height of marking protrusion precise and accurate, makes the marking of hot melt oscillation complete at one time, and has strong wear resistance and impact resistance.
4. Synchronized clutch glass bead sprayer makes the glass beads more evenly scattered on the marking line.
5. It is equipped with speed regulating gear shifting device and rear wheel positioning system to ensure that the equipment is fixed and straight ahead.



Parameters:

	HG-VM
motor	5.5HP Gasoline
moving speed	12km/h
Grade ability	15°MAX 15°
cylinder capacity	120kg/桶
Glass Micro sphere cylinder capacity	12kg/箱

Bulge thickness	3-5mm(adjustment)
standard width	150mm
size options	150/200/300/450mm(marking scoops replacement)
size (L*W*H)mm	1400*1100*1200mm
Weight	210kg

Main parts:



Dispenser



Liner controller



Shoe



Honda Gasoline

Construction spot:



WAGE company has strong ability of research, manufacturing and innovation, which is the backbone of the enterprise Chinese road marking machine industry. The company products are mainly divided into two parts of road marking equipment and road marking material. Road marking equipment including hand push thermoplastic road marking machine, cold spray road marking machine, double component road marking machine, auxiliary machine and other series. Meanwhile agents of the United States well-known brands: Graco road marking machine. In order to develop new products, improve equipment performance, our company made a full research and experiment on the new road marking materials, currently has a number of projects put into use and received more recognition. The company's products covered all areas of road marking construction, with a strong set of equipment supply and service capabilities.



Xian WAGE Traffic Infrastructure Installation Co., Ltd.



+86 15591818803



rita@wagetrffic.com



wagetrffic.com

Room 401, Unit 2, Building 2, Shenglong Plaza, Weiyang Road, Xi'an, 710016, Shaanxi, China

